

PLL2251MW

22" LCD Monitor

The Planar® PLL2251MW 22" Full HD LCD desktop monitor features wide viewing angles, integrated TrueMediaTM speakers and an ergonomically designed, height-adjustable stand with pivot, swivel and tilt. It delivers high contrast, excellent color balance and easy set-up. The included HDMI® cable provides delivery of both Full HD video and digital audio though just one cable. Blue light reduction pre-sets help lower eye fatigue and maintain visual comfort.



SPECIFICATION	DETAIL
Product Name	PLL2251MW
Planar Part Number	998-0412-00
Viewable Size	21.5" diagonal (18.74" horizontal x 10.54" vertical)
Aspect Ratio	16:9
Contrast Ratio (typ)	3000:1
Viewing Angle (typ)	178° Horizontal and 178° Vertical (Specified at CR>10:1)
Response Time (typ)	12.5ms (GTG)
Brightness (Typical)	250 cd/m²
Display Type	Edge-Lit LED LCD
Display Resolution	1920 x 1080, full HD
Tilt Range	-5° to 22°
Palette	16.7 million colors
Pixel Pitch	0.248

Refresh Rate	55-76Hz (60Hz recommended)
Dimensions (W x H x D)	19.9" x 15.0" x 8.9" (504 mm x 382.15 mm x 224.8 mm)
Dimensions without Stand	19.9" x 14.5" x 1.9" (504 mm x 367 mm x 49 mm)
Panel Depth	1.9" (49 mm)
Display Weight	10 lb (4.5 kg), 5.1 lb (2.3 kg) without base & stand
Shipping weight	12.8 lb (5.8 kg)
Video Inputs	HDMI®, VGA
HDCP	Yes
External Connections	HDMI 19-pin, VGA 15-pin, 3.5 mm audio in
Audio Output	Integrated TrueMedia™ speakers, 1W/channel
Compatibility	PC and Mac® (adapter may be required for Mac)
Power Supply	Internal
Power Consumption (max)	16W Typical, (0.5W standby)
Power Requirements	AC 100/240 VAC
Operating Temperature	5° to +40°C (41° to 104°F)
Humidity	10 - 90% RH (non-condensing)
Mount	Built-in 75 mm VESA, back
Product Approvals	FCC-B, UL/cUL, WEEE, Rohs
Recommended Usage	Up to 16 hours per day
Service and Support	3-Year Customer First™ Warranty featuring FREE Advance Replacement (US only). Please see the warranty document for more details and for replacement procedures outside the US.
Options / Features	Wide viewing angle, Discreet branding, Anti-glare coating, Multi-language display, On screen display (OSD), Kensington® Security Slot, height adjustment: 5.1" (130cmm), Swivel range 90° (45° left, 45° right), supports Portrait.
Blue Light Reduction	Yes
Flicker Free	Yes

In the Box	PLL2251MW LED LCD Monitor, Power cord, HDMI cable, User's guide
UPC	8 10689 00577 3
HDMI®	Planar utilizes HDMI® standards in this product. The terms HDMI, HDMI High-Definition Multimedia Interface, HDMI Trade dress and the HDMI Logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.

For more information, please visit www.planar.com

 $Specifications \ are \ subject \ to \ change \ without \ notice.$

Specification Report Date: 1/4/2024

© Copyright 2024 Planar Systems, Inc. All rights reserved

