

## PLL2250MW

## 22" LCD Monitor

The cost-effective Planar® PLL2250MW 22" Full HD LCD desktop monitor features wide viewing angles, VGA and HDMI® video inputs, and integrated TrueMedia<sup>TM</sup> speakers. With its small footprint, it can be used as a standalone or mounted on a multi-monitor stand for home, office or healthcare applications. Blue light reduction pre-sets help lower eye fatigue and maintain visual comfort. It offers wide viewing angles, excellent color balance and easy set-up.



| SPECIFICATION          | DETAIL                                                   |
|------------------------|----------------------------------------------------------|
| Product Name           | PLL2250MW                                                |
| Planar Part Number     | 997-9044-00                                              |
| Viewable Size          | 21.5" diagonal (18.74" horizontal x 10.54" vertical)     |
| Aspect Ratio           | 16:9                                                     |
| Contrast Ratio (typ)   | 3000:1                                                   |
| Viewing Angle (typ)    | 178° Horizontal and 178° Vertical (Specified at CR>10:1) |
| Response Time (typ)    | 12.5ms (GTG)                                             |
| Brightness (Typical)   | 250 cd/m²                                                |
| Display Type           | Edge-Lit LED LCD                                         |
| Display Resolution     | 1920 x 1080, full HD                                     |
| Tilt Range             | -5° to +15°                                              |
| Palette                | 16.7 million colors                                      |
| Pixel Pitch            | 0.248                                                    |
| Refresh Rate           | 55-76Hz (60Hz recommended)                               |
| Dimensions (W x H x D) | 19.9" x 14.5" x 6.7" (504 mm x 367 mm x 170.4 mm)        |
| Dimensions without     | 19.9" x 14.5" x 1.9" (504 mm x 367 mm x 49 mm)           |

| Stand                    |                                                                                                                                                                                                                               |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Panel Depth              | 1.9" (49 mm)                                                                                                                                                                                                                  |
| Display Weight           | 5.7 lb (2.55 kg), 5.1 lb (2.3 kg) without base & stand                                                                                                                                                                        |
| Shipping weight          | 8.1 lb (3.65 kg)                                                                                                                                                                                                              |
| Video Inputs             | HDMI®, VGA                                                                                                                                                                                                                    |
| HDCP                     | Yes                                                                                                                                                                                                                           |
| External Connections     | HDMI 19-pin, VGA 15-pin, 3.5 mm audio in                                                                                                                                                                                      |
| Audio Output             | Integrated TrueMedia™ speakers, 1W/channel                                                                                                                                                                                    |
| Compatibility            | PC and Mac® (adapter may be required for Mac)                                                                                                                                                                                 |
| Power Supply             | Internal                                                                                                                                                                                                                      |
| Power Consumption (max)  | 16W Typical, (0.5W standby)                                                                                                                                                                                                   |
| Power Requirements       | AC 100/240 VAC                                                                                                                                                                                                                |
| Operating<br>Temperature | 5° to +40°C (41° to 104°F)                                                                                                                                                                                                    |
| Humidity                 | 10 - 90% RH (non-condensing)                                                                                                                                                                                                  |
| Mount                    | Built-in 75 mm VESA, back                                                                                                                                                                                                     |
| Product Approvals        | FCC-B, UL/cUL, WEEE, Rohs                                                                                                                                                                                                     |
| Recommended Usage        | Up to 16 hours per day                                                                                                                                                                                                        |
| Service and Support      | 3-Year Customer First™ Warranty featuring FREE Advance Replacement (US only). Please see the warranty document for more details and for replacement procedures outside the US.                                                |
| Options / Features       | Wide viewing angle, Discreet branding, Anti-glare coating, Multi-language display, On screen display (OSD), Kensington® Security Slot                                                                                         |
| Blue Light Reduction     | Yes                                                                                                                                                                                                                           |
| Flicker Free             | Yes                                                                                                                                                                                                                           |
| In the Box               | PLL2250MW LED LCD Monitor, Power cord, HDMI cable, User's guide                                                                                                                                                               |
| UPC                      | 8 10689 00409 7                                                                                                                                                                                                               |
| HDMI®                    | Planar utilizes HDMI® standards in this product. The terms HDMI, HDMI High-Definition Multimedia Interface, HDMI Trade dress and the HDMI Logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. |

## For more information, please visit www.planar.com

Specifications are subject to change without notice.

Specification Report Date: 5/18/2024

© Copyright 2024 Planar Systems, Inc. All rights reserved