



Planar PZN2410

24" Desktop Monitor

The slim Planar® PZN2410 is a 24" Full HD LCD monitor with an ultra-thin bezel design, an IPS panel, integrated TrueMedia™ speakers and multiple video inputs. An ergonomically-designed stand with height adjustment, pivot, swivel and tilt provides enduser comfort while the built-in USB 3.0 hub allows home, office or healthcare users to conveniently connect devices. As an added feature, one of the USB 3.0 ports provides BC1.2 and can power devices up to 1.5A.



SPECIFICATION	DETAIL
Product Name	PZN2410
Planar Part Number	998-1443-00
Viewable Size	23.8" diagonal (20.75" horizontal x 11.67" vertical)
Aspect Ratio	16:9
Contrast Ratio (typ)	1000:1
Viewing Angle (typ)	178° Horizontal and 178° Vertical (Specified at CR>10:1)
Response Time (typ)	6 ms (GTG)
Brightness (Typical)	250 cd/m ²
Display Type	IPS LCD Active Matrix Flat Panel Display (TFT)
Display Resolution	Full HD 1080p, 1920 x 1080
Tilt Range	-5° to +20°
Palette	16.7 million colors
Pixel Pitch	0.2745 mm
Refresh Rate	50-75Hz (60Hz recommended)
Dimensions (W x H x D)	21.3" x 19.8" x 9.6" (540.5 mm x 502.1 mm x 244.5 mm)

Dimensions without Stand	21.3" x 12.8" x 1.7" (540.47 mm x 324.8 mm x 44.4 mm)
Panel Depth	1.7" (44.4 mm)
Display Weight	12.6 lb/5.7 kg (7.5 lb/3.4kg without base and stand)
Shipping weight	16.3 lb (7.4 kg)
Video Inputs	HDMI®, DisplayPort, VGA
HDCP	Yes
Audio Output	2W x 2, headphone out
External Connections	HDMI 19-pin, DisplayPort 20-pin, VGA 15-pin, 3.5 mm audio in, 3.5mm headphone out, USB 3.0 (Type B), USB 3.0 (Type A) out, USB3.0 (Type A) BC1.2, USB 2.0 (Type A) x 2
Compatibility	PC and Mac® (adapter may be required for Mac)
Power Supply	Internal
Power Consumption (max)	22W typical (<0.5W standby)
Power Requirements	AC 100/240 VAC
Operating Temperature	0° to +40°C (32° to 104°F)
Humidity	10 - 90% RH (non-condensing)
Mount	Built-in 100 mm VESA, back
Product Approvals	cTUVus, CE , FCC-B, RoHS
Recommended Usage	Up to 16 hours per day
Service and Support	3-Year Customer First™ Warranty featuring FREE Advance Replacement (US only). Please see the warranty document for more details and for replacement procedures outside the US.
Options / Features	Anti-glare coating, Discreet branding, height adjustment: 5.1" (130cm), Swivel range 320° (160° left, 160° right), pivot 90°, multi-language display, on screen display (OSD), Kensington® Security Slot
Blue Light Reduction	Yes
Flicker Free	Yes
In the Box	PZN2410 24" LCD Monitor, Power Cord, HDMI Cable, DP Cable, USB 3.0 Cable, User's Guide
UPC	8 10689 00669 5

HDMI®

Planar utilizes HDMI® standards in this product. The terms HDMI, HDMI High-Definition Multimedia Interface, HDMI Trade dress and the HDMI Logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.

For more information, please visit www.planar.com

Specifications are subject to change without notice.

Specification Report Date: 5/12/2024

© Copyright 2024 Planar Systems, Inc. All rights reserved