

Operating System Support by Touch Monitor Model

Size	Model	Sensor	Controller	Supported Operating Systems
15	PJT155R	Resistive	USB	Windows® 7, VISTA, XP, XP Embedded
15	PT1510MX	Resistive	Dual	Windows® 7, VISTA, XP, XP Embedded, 2000, ME, 98, NT, Linux, Apple® MAC
15	PT1545R	Resistive	Dual	Windows® 7, VISTA, XP, XP Embedded, 2000, ME, 98, NT, Linux, Apple® MAC
15	PT1500MX	Resistive	Dual	Windows® 7, VISTA, XP, XP Embedded, 2000, ME, 98, NT, Linux, Apple® MAC
15	PT1501MU	Capacitive	USB	Windows® 7, VISTA, XP, XP Embedded, 2000, 98, Server 2008, Server 2003, Linux, Apple® MAC
15	PT1501MX	Capacitive	Dual	Windows® 7, VISTA, XP, XP Embedded, 2000, ME, 98, NT, Linux, Apple® MAC
15	PT1545S	SAW	Dual	Windows® 7, VISTA, XP, XP Embedded, 2000, ME, 98, NT, Linux, Apple® MAC
15	PT1575S	SAW	Dual	Windows® 7, VISTA, XP, XP Embedded, 2000, ME, 98, NT, Linux, Apple® MAC
15	PT1585P	Projected Capacitive	USB	Windows® 7, VISTA, XP, XP Embedded (Express), 2000, Linux, Apple® MAC
17	PJT175R	Resistive	USB	Windows® 7, VISTA, XP, XP Embedded
17	PT1710MX	Resistive	Dual	Windows® 7, VISTA, XP, XP Embedded, 2000, ME, 98, NT, Linux, Apple® MAC
17	PT1745R	Resistive	Dual	Windows® 7, VISTA, XP, XP Embedded, 2000, ME, 98, NT, Linux, Apple® MAC
17	PT1700MX	Resistive	Dual	Windows® 7, VISTA, XP, XP Embedded, 2000, ME, 98, NT, Linux, Apple® MAC
17	PT1701MU	Capacitive	USB	Windows® 7, VISTA, XP, XP Embedded, 2000, 98, Server 2008, Server 2003, Linux, Apple® MAC
17	PT1701MX	Capacitive	Dual	Windows® 7, VISTA, XP, XP Embedded, 2000, ME, 98, NT, Linux, Apple® MAC
17	PT1745S	SAW	Dual	Windows® 7, VISTA, XP, XP Embedded, 2000, ME, 98, NT, Linux, Apple® MAC
17	PT1775S	SAW	Dual	Windows® 7, VISTA, XP, XP Embedded, 2000, ME, 98, NT, Linux, Apple® MAC
17	PT1785P	Projected Capacitive	USB	Windows® 7, VISTA, XP, XP Embedded (Express), 2000, Linux, Apple® MAC

Operating System Support by Touch Monitor Model

Size	Model	Sensor	Controller	Supported Operating Systems
19	PT1945R	Resistive	Dual	Windows® 7, VISTA, XP, XP Embedded, 2000, ME, 98, NT, Linux, Apple® MAC
19	PT1975R	Resistive	Dual	Windows® 7, VISTA, XP, XP Embedded, 2000, ME, 98, NT, Linux, Apple® MAC
19	PT191MU	Capacitive	USB	Windows® 7, VISTA, XP, XP Embedded, 2000, 98, Server 2008, Server 2003, Linux, Apple® MAC
19	PT1911MX	Capacitive	Dual	Windows® 7, VISTA, XP, XP Embedded, 2000, ME, 98, NT, Linux, Apple® MAC
19	PT1945S	SAW	Dual	Windows® 7, VISTA, XP, XP Embedded, 2000, ME, 98, NT, Linux, Apple® MAC
19	PT1975S	SAW	Dual	Windows® 7, VISTA, XP, XP Embedded, 2000, ME, 98, NT, Linux, Apple® MAC
19	PT1985P	Projected Capacitive	USB	Windows® 7, VISTA, XP, XP Embedded (Express), 2000, Linux, Apple® MAC
19W	PJT195RW	Resistive	USB	Windows® 7, VISTA, XP, XP Embedded
19W	PT1945RW	Resistive	Dual	Windows® 7, VISTA, XP, XP Embedded, 2000, ME, 98, NT, Linux, Apple® MAC
22W	PT2275SW	SAW	Dual	Windows® 7, VISTA, XP, XP Embedded, 2000, ME, 98, NT, Linux, Apple® MAC
22W	PT2285PW	Projected Capacitive	USB	Windows® 7, VISTA, XP, XP Embedded (Express), 2000, Linux, Apple® MAC
22W	PX2230MW	Optical	USB	Windows® 7
24W	PXL2430MW	Optical	USB	Windows® 7
32W	PT3285PW	Projected Capacitive	USB	Windows® 7

Driver Support by Touch Monitor Model (EOL'd Models)

Size	Model	Sensor	Controller	Supported Operating Systems
15	P1500M(U)	Resistive	Serial (USB)	Windows® XP, XP Embedded, 2000, 98, Server 2003
15	PT1505MU	SAW	USB	Windows® 7, VISTA, XP, XP Embedded, 2000, 98
15	PT1550MX	Resistive	Dual	Windows® 7, VISTA, XP, XP Embedded, 2000, ME, 98, NT, Linux, Apple® MAC
15	PT1555MU	SAW	USB	Windows® 7, VISTA, XP, XP Embedded, 2000
17	PT1700M(U)	Resistive	Serial (USB)	Windows® XP, XP Embedded, 2000, 98, Server 2003
17	PT1705MU	SAW	USB	Windows® 7, VISTA, XP, XP Embedded, 2000, 98
19	PT1910MX	Resistive	Dual	Windows® 7, VISTA, XP, XP Embedded, 2000, ME, 98, NT, Linux, Apple® MAC
19	PT1915MU	SAW	USB	Windows® 7, VISTA, XP, XP Embedded, 2000, 98