



Large Format

LCD Displays

- ▶ 4K Resolution
- ▶ 43" to 100" Sizes
- Models with Interactive Touch
- ► TAA Compliant



Built for the most demanding environments, Planar's large format LCD displays deliver high durability and performance for professional applications like digital signage, control rooms, study spaces and retail. Unlike consumer televisions, our displays feature higher brightness, robust design for up to 24x7 use in most models, and options like multi-source viewing and portrait or landscape orientation. Our displays are all 4K resolution and fit every need with various sizes, brightness levels, functionality and prices.

Achieve Clarity & View it All

Planar 4K LCD displays produce amazing, life-like picture quality with smooth motion video and mouse tracking. Thanks to sharp clarity and crisp image quality, every detail shows even at close viewing distances.

Multiple large-format LCD display lines enable people to view more than one—and up to four—sources on the screen simultaneously. Configurable and storable content layout options include picture-in-picture, dual, triple or quad view.



Planar UltraRes X Series

Superior Image Color and Clarity

Planar® UltraRes™ X Series displays offer superior visual performance and advanced processing, ideal for 24x7 applications ranging from collaborative meeting spaces to high-impact digital signage.

- 75", 85" & 100" sizes
- Bright 700 nits
- · High Dynamic Range (HDR) compatible
- Multi-source viewing with Planar[®] MediaPlex[™] Plus processing
- Optional Planar[®] Profile[™] Mounting System
- · Expansion slot for OPS
- · Secure for government applications
- · Optional multi-point touch
- Optional Planar[®] ERO-LCD[™] protective glass







Planar UltraRes P Series

Only the 24x7 Essentials

Planar® UltraRes™ P Series displays excel in applications from dynamic digital signage to collaborative meeting spaces.

- 49", 55", 65", 75" & 85" sizes
- Exceptional color accuracy
- 500-nit brightness
- 4K @ 60Hz support with DisplayPort 1.2 & HDMI 2.0
- 4K with HDCP 2.2
- Designed for 24x7 operation
- · Secure for government applications
- Optional multi-point touch with protective surface









Planar Simplicity M Series

Cost Effective Digital Signage

The Planar® Simplicity™ M Series is designed with simplicity and affordability in mind, in a wide variety of sizes designed to meet the needs of everything from retail to museums.

- 43", 50", 55", 65", 75" & 86" sizes
- 500-nit brightness
- 4K @ 60Hz support with HDMI 2.0
- 4K compatibility with HDCP 2.2
- Integrated signage tools, including USB playback and LAN distribution





Planar QE Series

Only the 24x7 Essentials

Planar® QE Series displays excel in applications from dynamic digital signage to secure, collaborative meeting spaces.

- 98" size
- Exceptional image quality & color accuracy
- 4K @ 60Hz support with DisplayPort 1.2 & HDMI 2.0
- 4K compatibility with HDCP 2.2
- Optional multi-point touch with Planar ERO-LCD
- Designed for 24x7 operation



Planar EP Series

High Performance 4K

The Planar® EP Series delivers superior performance and reliability for demanding and secure public venue, corporate and control room applications.

- 50", 58" & 65" sizes
- Exceptional image quality
- 4K @ 60Hz with DisplayPort 1.2 & HDMI 2.0
- 4K compatibility with HDCP 2.2
- Expansion slot for OPS
- Optional multi-point touch
- Designed for 24x7 operation









Add Toughness

Some displays are available with Planar® ERO-LCD™ (Extended Ruggedness and Optics™), a protective glass bonded to the front of the display using a proprietary process that creates a highly durable surface that withstands rigors of high-traffic and interactive environments.



Get Interactive

For collaborative and interactive environments, select large format LCD displays are available with multi-point touch that enables multiple people to use the display simultaneously, with pinpoint accuracy and false touch prevention.

Planar HB Series Huddle Board

4K Touch Screen Collaboration Displays

Planar® HB Series Huddle Board touch screen has an embedded Android® OS and digital whiteboard, enabling collaboration for conference rooms, study spaces and design centers; or the executive home office.

- Available in 75" size
- 4K resolution
- 20-point Projected Capacitive touch
- Embedded digital whiteboard app
- Active & passive stylus pens included
- Built-in Android® OS



Specifications

Planar HB Series Huddle Board					
Model	HB75				
Screen Diagonal	75"				
Brightness (typ)	350 cd/m2				
Backlight Type	Direct-lit LED				
Bezel Width	0.1" (3mm)				
Recommended Usage	18×7				
Orientation	Landscape				
OS Compatibility	Internal: Android; External: Windows 8, 10, Linux				
External Connections	DisplayPort 1.2 x 1, HDMI 2.0 x 3 (HDCP 2.2), VGA x 1, USB-B (for touch controller), microSD slot, USB 2.0 for external USB camera, OPS Slot				
Display Control	LAN, WiFi (802.11 b/g/n, 2.4 GHz, 5 GHz), Bluetooth, RS232 ln, IR, Keypad				
Touch Technology	In-Cell Projected Capacitive 20-point touch				
Mounting	VESA: 600 x 400				
Operating System	Android 8.0				
Video Processing CPU: ARM A73 (x2) + ARM A53 (x2) Frequency: 1.5 GHz GPU: Ma RAM: 3GB DDR4 2400MHz					

Specifications

Planar UltraRes X Series						
Model	URX75 URX75-ERO URX75-ERO-T	URX85 URX85-ERO URX85-ERO-T	URX100 URX100-ERO URX100-ERO-T			
Screen Diagonal	75"	85"	100"			
Brightness (typ)	700	cd/m² / 630 cd/m² / 630 cd	l/m²			
Bezel Width	0.7" (17mm) / 0.1" (3mm) / 0.7" (18.6mm)	0.9" (23mm) / 0.1" (3mm) / 0.7" (18.6mm)	1.1" (27.9mm) / 0.1" (3mm) / 0.7" (18.6mm)			
Color Gamut	90% NTSC	88% NTSC	98% NTSC			
HDR (High Dynamic Range)	Yes					
Recommended Usage	24×7					
Orientation	Landscape, Portrait					
Display Depth	3.7" (94.2mm) / 3.7" (94.2mm) / 4.1"(103.9mm)	3.7" (94.3mm) / 3.7" (94.3mm) / 4.1" (103.8mm)	3.7" (94.3mm) / 3.7" (94.3mm) / 4.1" (103.8mm)			
Inputs	DisplayPort 1.2 x 1, HDMI 2.0 x 2 (HDCP 2.2), HDMI 1.4 x 2, OPS x 1					
Display Control	IR, RS-232, LAN, HDMI-CEC, Keypad, Mobile app					
Touch Technology	20 pt IR (Touch models only)					
Mounting	Planar® Profile™ Mounting System, VESA					

Planar EP Series					
Model	EP5024K EP5024K-Touch	EP5824K EP5824K-Touch	EP6524K EP6524K-Touch		
Screen Diagonal	50"	58"	65"		
Brightness (typ)	500 cd/m ²				
Backlight Type	E-LED	E-LED	D-LED		
Bezel Width	0.8" (21mm)/ 0.7" (18mm)	0.6" (14mm)/ 0.9" (22mm)	0.7" (17mm)/ 0.9" (22mm) Top, Bottom; 0.8" (21mm) Left, Right		
Recommended Usage	24 x 7				
Orientation	Landscape, Portrait				
Display Depth	2.6" (67mm)/ 3.3" (84mm)	3.1" (80mm)/ 3.8" (98mm)	3.4" (86mm)/ 3.9" (99mm)		
Inputs	HDMI 2.0 x 2 (HDCP 2.2), HDMI 1.4 x 2, DisplayPort 1.2 x 2, VGA x 1, OPS, IR				
Display Control	IR, RS-232, LAN, Keypad, HDMI-CEC (select models)				
Touch Technology	20 pt IR (HID compliant Microsoft* Windows 7, 8 and 10) Touch models only				
Mounting	ounting VESA: 200x200mm VESA		VESA: 400x400mm		

Planar UltraRes P Series & Planar QE Series						
Model	URP49 URP49-T	URP55 URP55-T	URP65 URP65-T	URP75 URP75-ERO-T	URP85 URP85-ERO-T	QE9850 QE9850-Touch
Screen Diagonal	49"	55″	65"	75"	85"	98"
Brightness (typ)	500 cd/m² / 450 cd/m²					400 cd/m ² 380 cd/m ²
Backlight Type	E-LED			D-LED		
Bezel Width	0.4" (10.9mm) Top, Right, Left; 0.5" (13.6mm) Bottom / 0.1" (1.5mm)			0.6" (14.9mm) / 0.6" (15.1mm)	0.5" (13mm) / 0.6" (15.1mm)	0.6" (16mm) / 1.2" (31mm)
Recommended Usage	24×7					
Orientation	Landscape, Portrait				Landscape, Portrait (Landscape Touch model)	
Display Depth	2.6" (65.8mm) / 2.7" (68.8mm)			3.6" (91.2mm) / 4.1" (103.7mm)	3.5" (89.4mm) / 4.1" (104.5mm)	3.8" (97mm) / 4.4" (111mm)
Inputs	HDMI 2.0 x 2 (HDPC 2.2), HDMI 1.4 x 2, DisplayPort 1.2 x 2, VGA x 1			HDMI 2.0 x 2 (HDPC 2.2), HDMI 1.4 x 2; DisplayPort 1.2 x 1		
Display Control	HDMI-CEC, IR, LAN, RS-232, Keypad			HDMI-CEC, IR, LAN, RS-232, Keypad, Mobile App IR, RS-232, LAN		
Touch Technology	Projected Capacitive: 50-point (Touch models only)			IR: 20-point (Touch models only)		
Mounting	VESA					
ENERGY STAR Certified	Yes -				-	

Planar Simplicity M Series						
Model	SLM43	SLM50	SLM55	SLM65	SLM75	SLM86
Screen Diagonal	43"	50"	55"	65"	75"	86"
Brightness (typ)	500 cd/m ²					
Backlight Type	D-LED					
Bezel Width	0.5" (13.9mm)	0.6" (14.9mm)	0.5" (13.9mm)	0.6" (14.9mm) 0.6" (15.5mi		
Recommended Usage	Up to 16 hours per day					
Orientation	Landscape only					
Inputs	HDMI 2.0 x 2 (HDCP 2.2), DVI-D x 1, VGA x 1, Media Player					
Display Control	IR, RS-232, LAN, HDMI-CEC, Keypad					
Mounting	VESA: 200x200mm					