

## Planar PLL2450MW

### 24" LCD Monitor

The Planar® PLL2450MW 24" Full HD LCD desktop monitor features integrated TrueMedia™ speakers and VGA and HDMI® video inputs. With its small footprint, it can be mounted on a multi-monitor stand for home, office or healthcare applications. It offers wide viewing angles and excellent color balance. Blue light reduction pre-sets help lower eye fatigue and maintain visual comfort. Its 100mm VESA compatibility pairs well with Planar accessories like Dual or Triple Monitor Stands.



#### Specification:

#### Detail:

|                             |                                                          |
|-----------------------------|----------------------------------------------------------|
| <b>Product Name</b>         | PLL2450MW                                                |
| <b>Planar Part Number</b>   | 997-9045-00                                              |
| <b>Viewable Size</b>        | 23.6" diagonal (20.52" horizontal x 11.54" vertical)     |
| <b>Aspect Ratio</b>         | 16:9                                                     |
| <b>Contrast Ratio (typ)</b> | 3000:1                                                   |
| <b>Viewing Angle (typ)</b>  | 178° Horizontal and 178° Vertical (Specified at CR>10:1) |
| <b>Response Time (typ)</b>  | 12.5 ms (GTG)                                            |
| <b>Brightness (Typical)</b> | 250 cd/m <sup>2</sup>                                    |
| <b>Display Type</b>         | Edge-Lit LED LCD                                         |
| <b>Display Resolution</b>   | 1920 x 1080, FHD                                         |
| <b>Tilt Range</b>           | -5° to +20°                                              |
| <b>Palette</b>              | 16.7 million colors                                      |

## Specification:

## Detail:

|                                 |                                                                                                                                                                                |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Pixel Pitch</b>              | 0.2715 mm                                                                                                                                                                      |
| <b>Refresh Rate</b>             | 55-76Hz (60Hz recommended)                                                                                                                                                     |
| <b>Dimensions (W x H x D)</b>   | 21.6" x 16.0" x 6.7" (547.6 mm x 405.5 mm x 170.4 mm)                                                                                                                          |
| <b>Dimensions without Stand</b> | 21.6" x 12.8" x 1.6" (547.6 mm x 324.3 mm x 40.9 mm)                                                                                                                           |
| <b>Panel Depth</b>              | 1.6" (40.9 mm)                                                                                                                                                                 |
| <b>Display Weight</b>           | 6.9 lb (3.12 kg), 6.4 lb (2.87 kg) without base & stand                                                                                                                        |
| <b>Shipping weight</b>          | 8.5 lb (3.85 kg)                                                                                                                                                               |
| <b>Video Inputs</b>             | HDMI®, VGA                                                                                                                                                                     |
| <b>HDCP</b>                     | Yes                                                                                                                                                                            |
| <b>External Connections</b>     | HDMI 19-pin, VGA 15-pin, 3.5 mm audio in, 3.5 mm headphone out                                                                                                                 |
| <b>Audio Output</b>             | Integrated TrueMedia™ speakers, 1W/channel                                                                                                                                     |
| <b>Compatibility</b>            | PC and Mac® (adapter may be required for Mac)                                                                                                                                  |
| <b>Power Supply</b>             | Internal                                                                                                                                                                       |
| <b>Power Consumption (typ)</b>  | 18.5 Watts typical (<0.5W standby)                                                                                                                                             |
| <b>Power Requirements</b>       | AC 100/240 VAC                                                                                                                                                                 |
| <b>Operating Temperature</b>    | 5° to +40°C (41° to 104°F)                                                                                                                                                     |
| <b>Humidity</b>                 | 10 - 90% RH (non-condensing)                                                                                                                                                   |
| <b>Mount</b>                    | Built-in 100 mm VESA, back                                                                                                                                                     |
| <b>Product Approvals</b>        | FCC-B, UL/cUL, RoHS                                                                                                                                                            |
| <b>Recommended Usage</b>        | Up to 16 hours per day                                                                                                                                                         |
| <b>Service and Support</b>      | 3-Year Customer First™ Warranty featuring FREE Advance Replacement (US only). Please see the warranty document for more details and for replacement procedures outside the US. |

Specification:

|                             |                                                                                                                                                                                                                               |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Options / Features</b>   | Wide viewing angles, Discreet branding, Anti-glare coating, Multi-language display, On screen display (OSD), Kensington® Security Slot                                                                                        |
| <b>Blue Light Reduction</b> | Yes                                                                                                                                                                                                                           |
| <b>Flicker Free</b>         | Yes                                                                                                                                                                                                                           |
| <b>In the Box</b>           | PLL2450MW 24" LED LCD Monitor, C5 Connector Power Cord, HDMI Cable, User's Guide                                                                                                                                              |
| <b>UPC</b>                  | 8 10689 00410 3                                                                                                                                                                                                               |
| <b>HDMI®</b>                | Planar utilizes HDMI® standards in this product. The terms HDMI, HDMI High-Definition Multimedia Interface, HDMI Trade dress and the HDMI Logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. |

Planar is a trademark of Planar Systems, Inc. All other trademarks and service marks are property of their holders. Copyright © 2026 Planar Systems, Inc. All rights reserved. This document may not be copied in any form without permission from Planar. Information in this document is subject to change without notice.