
PLANAR

Large Format LCD Displays

Built for the most demanding environments, Planar's large format LCD displays deliver high durability and performance for professional applications like digital signage, control rooms, study spaces and retail. Unlike consumer televisions, our Planar displays feature higher brightness, robust design for up to 24x7 use and options like multi-source viewing and portrait or landscape orientation. Planar displays feature 4K and 5K resolutions and are available in a wide range of sizes, brightness levels, functionality and price points to meet diverse application needs.

- 4K and 5K Resolutions
- 43" to 105" Sizes
- Interactive Touch Models
- TAA Compliant Models
- ENERGY STAR® Certified Models
- Cybersecure Models





Achieve Clarity & View it All

Planar large format LCD displays produce amazing, life-like image quality with smooth motion video and mouse tracking. Thanks to sharp clarity and crisp image quality, every detail shows even at close viewing distances.

Within Planar's large format LCD portfolio, select models support advanced multi-source viewing, displaying up to four sources at once using flexible, storable layouts including picture-in-picture, dual triple and quad view.




Add Toughness

Select displays are available with Planar® ERO-LCD™ (Extended Ruggedness and Optics™), a protective glass bonded to the front of the display using a proprietary process that creates a highly durable surface that withstands rigors of high-traffic and interactive environments.



Get Interactive

For collaborative and interactive environments, select large format LCD displays are available with multi-point touch interactivity, enabling multiple people to use the display simultaneously, with pinpoint accuracy and false touch.



Planar 21by9 Series

Ultra-Wide 5K LCD Displays

The Planar® 21by9 Series is a family of ultra-wide 5K LCD displays designed to deliver more immersive visual experiences across collaboration and cinematic environments. Available in multiple sizes with exceptional brightness, contrast, and color performance, the series combines premium visuals, interactive capabilities and advanced cybersecurity protections in a commercial-grade, display solution.

- 81", 94" and 105" sizes
- 21:9 ultra-wide format with immersive 5K resolution
- Superior brightness, contrast and color performance
- Quantum-dot Mini-LED backlight with up to 2,560 local dimming zones
- Advanced cybersecurity protections
- TAA and Non-TAA models available




Planar UltraRes P Series

Next-Generation 24x7 Essentials

The next-generation Planar® UltraRes™ P Series is a line of 4K LCD displays delivering exceptional image performance and commercial-grade reliability. Available in a wide range of sizes, these TAA-compliant, cybersecure displays combine high brightness, a wide color gamut, HDR compatibility and reliable 24x7 operation for demanding professional environments.

- 49", 55", 65", 75", 86" & 98" sizes
- Commercial-grade design for 24x7 operation
- High 700-nit brightness with wide color gamut and HDR compatibility
- ENERGY STAR® certified
- TAA compliant
- EN 303 645 certified
- Optically bonded Projective Capacitive 50-point touch models
- Compatible with Planar® WallDirector™ Cloud



Simplicity E Series

Essential Performance with Exceptional Value

For everyday digital signage, the Planar® Simplicity™ E Series delivers reliable 4K performance at an affordable price point. With built-in wireless connectivity, an energy-efficient design and simplified installation, it delivers essential functionality and strong visual performance without unnecessary cost or complexity.

- 43", 50", 55", 65", 75", 86" & 98" sizes
- Landscape or portrait
- Built-in wireless connectivity
- Designed for 24x7 operation
- ENERGY STAR® certified
- Low total-cost-of-ownership



Need Something Larger?

Planar® UltraRes™ L Series All-In-One LED Displays

Planar's LCD displays may not be big enough for every collaborative meeting room or classroom. For larger spaces, the Full HD resolution, Planar UltraRes L Series all-in-one LED displays may be the solution. They are equipped with the same multi-source viewing and integrated multi-point touch interactivity and Planar large format LCD displays while powering from a single standard 110V cable and assemble in just hours.

Specifications

planar.com/LargeFormatLCD

Planar 21by9 Series

Model	21by9 81 | 21by9 81T	21by9 94 | 21by9 94T	21by9 105 | 21by9 105T
Screen Diagonal	81"	94"	105"
Resolution	5K (5120 x 2160)		
Aspect Ratio	21:9		
Display Technology	Quantum Dot mini-LED LCD		
Brightness (typ)	700 nits | 630 nits	1000 nits | 900 nits	
Peak Brightness	1200 nits | 1000 nits	2500 nits | 2000 nits	1800 nits | 1500 nits
HDR Dynamic Contrast	100,000:1	550,000:1	120,000:1
Local Dimming	1792 zones	2560 zones	
Color Gamut	DCI-P3 120%	DCI-P3 114%	DCI-p3 108%
External Connections	DisplayPort 2.1 in x 1, HDMI® 2.1 x 2 (HDCP 2.2, eARC), HDMI out, USB-C x 1, USB-A x3 USB-B x1 (touch models only)		
Touch Technology	Optically-bonded Projected Capacitive: 50-point (touch models only)		
Orientation	Landscape, Portrait		
Multi-source Views	PiP / PBP (4 Windows)		
Approvals	FCC Class B, CE, cTUVus, RoHS		

Planar UltraRes P Series

Model	URP492 URP492-ERO-T	URP552 URP552-ERO-T	URP652 URP652-ERO-T	URP752 URP752-ERO-T	URP862 URP862-ERO-T	URP982 URP982-ERO-T
Screen Diagonal	49"	55"	65"	75"	86"	98"
Brightness (typ)	700 cd/m² | 700 cd/m²					
Backlight Type	D-LED					
Bezel Width	0.5" (12.1mm) 0.1" (1.8mm)	0.5" (12.1mm) 0.1" (1.8mm)	0.4" (10mm) 0.1" (2mm)	0.4" (10mm) 0.1" (1mm)	0.5" (12.5mm) 0.1" (2mm)	0.8" (20mm) 0.1" (2.5mm)
Recommended Usage	24 x 7					
Orientation	Landscape, Portrait					
Display Depth	2.8" (70.8mm) 2.9" (73.8mm)	2.8" (70.8mm) 2.9" (73.8mm)	3.0" (76.5mm) 3.1" (78.8mm)	3.0" (77mm) 3.1" (78.5mm)	3.0" (77mm) 3.1" (78.5mm)	3.1" (78mm) 3.1" (78.8mm)
Inputs	HDMI 2.1 x 2 (HDPC 2.2), DisplayPort 2.0 x 2, USB-C x1, USB x1, USB x1 (touch models only)					
Display Control	IR, RS-232, LAN, HDMI-CEC, Keypad, Web Browser Interface, Cloud Monitoring via Planar® WallDirector™ Cloud					
Touch Technology	Optically-bonded Projected Capacitive: 50-point (touch models only)					
Mount Dimensions	VESA: 400x400mm	VESA: 400x400mm	VESA: 400x400mm	VESA: 600x400mm	VESA: 800x600mm	VESA: 900x600mm
ENERGY STAR® Certified	Yes					
Cybersecurity	EN 303 645 certified					

Planar Simplicity E Series

Model	SLE43	SLE50	SLE55	SLE65	SLE75	SLE86	SLE98
Screen Diagonal	43"	50"	55"	65"	75"	86"	98"
Brightness (typ)	500 cd/m²						
Backlight Type	D-LED						
Bezel Width	0.5" (12.8mm)	0.5" (12.8mm)	0.5" (12.8mm)	0.5" (12.8mm)	0.5" (12.8mm)	0.5" (13.9mm)	0.8" (19.8mm)
Recommended Usage	24x7						
Orientation	Landscape, Portrait						
Inputs	HDMI® x 3 (HDCP 2.3/1.4), WiFi 5 (801.11 b/g/n, 2.4 GHz), Bluetooth® 5.0 USB 3.0 x1, USB 2.0 x1						
Display Control	IR, RS-232, LAN, HDMI-CEC						
Mount Dimensions (Wall Mount Included)	VESA: 300x300mm	VESA: 400x300mm	VESA: 400x400mm	VESA: 500x500mm	VESA: 500x500mm	VESA: 700x500mm	VESA: 700x500mm
ENERGY STAR® Certified	Yes						
WiFi	WiFi 5 (802.11 b/g/n, 2.4 GHz). Supports 802.1X.						
Bluetooth®	5.0						

PLANAR

Copyright©2026PlanarSystems,Inc.Allrightsreserved.PlanarisatrademarkofPlanarSystems,Inc.Allothertrademarksandservicemarksarepropertyoftheirholders.
Thisdocumentmaynotbecopiedinanyformwithoutpermissionfrom Planar.Informationinthisdocumentissubjecttochangewithoutnotice.10/2026