

Planar SLM552

4K LCD Display

The Planar® Simplicity™ M Series SLM552 is a 55" 4K LCD display for landscape or portrait digital signage that affordably incorporates media playback, cybersecurity mitigation, 4K @ 60Hz support, ENERGY STAR® efficiency and commercial functionality. Its elegant design with a narrow, logo-free bezel and slim profile provide the ideal display for digital signage in retail stores, restaurants, medical offices, corporate meeting areas and hospitality..



Specification:	Detail:
Product Name	SLM552
Planar Part Number	998-3476-00
Display Resolution	Ultra HD (3840 x 2160)
Screen Size	55 in. (diagonal)

Specification:

Detail:

Aspect Ratio

16:9

Display Technology

Direct-lit LED LCD

Haze

25%

Surface Treatment

AG

Display Active Area

47.8" x 26.9" (1213.6mm x 684.4mm)

Viewing Angle (typ)

178°

Backlight

LED

Backlight life (1/2

brightness)

30,000 hrs (min)

Brightness (typ)

500 nits

Response Time (typ)

8 ms

Frame Rate

60Hz

Contrast Ratio (typ)

1200:1

Pixel Pitch

0.315mm x 0.315mm

Color Gamut

72% NTSC

Display Color

>1 billion colors. Full 10 bit data path

External Connections

HDMI® x 2 (HDCP 2.2), USB-C x 1, VGA x 1, USB 3.0 x1, USB 2.0 x1, MicroSD

Modes

3840x2160 @ 24/25/30/60Hz; 480p, 576p, 720p @ 50/60 Hz; 1080p @

50/60Hz; 1080i @ 50/60 Hz

Specification:

Detail:

Display Control

IR, RS-232, LAN, HDMI-CEC, Keypad

Cabinet Dimensions (W

x H x D

48.6" x 27.8" x 2.4" (1235.4mm x 706.2mm x 59.8mm)

Cabinet Dimensions with Handles (W x H x D)

Not Applicable

Orientation

Landscape/Portrait

Bezel Width

0.4" (10.9mm)

Display Edge to Active

Area

1.1" (26.7mm) CONFIRM

Weight

35.1 lbs (15.9 kg)

Weight (Shipping)

42.1 lbs (19.1 kg)

Audio Input

PC Line In

Audio Output

PC Line Out, S/PDIF

Speakers

10W x 2 built-in

Enclosure

Plastic rear enclosure

Mounting

VESA: 300mm x 300mm

Fanless

Yes

Line Voltage

100-240V; 50/60Hz

Power Consumption

116W (standby: <0.5W)

(typ)

Specification: Detail:

Operating Temperature 0° to +40°C (32° to 104°F) up to 3000m

Humidity 20 - 85% RH (non-condensing)

Options / FeaturesMedia file playback via USB, MicroSD, internal storage, web page and

embedded cloud-based content app (requires subscription). Logo-free

bezel, logo-free bezel, lockable rear keypad.

Operating System Proprietary OS based on Android 10.0. Google Play and installation of

third-party apps are not supported by Planar.

Storage TBDGB (10.5GB available)

Approvals FCC Class A, cTUVus, CE, RoHS, EN 303 645

ENERGY STAR® Certified Yes

Cyber Security EN 303 645 certified

Security No WiFi, Secure Shell (SSH) protocol, EN 303 645 certified

Warranty 3 years Advance Exchange

Recommended Usage Up to 16 hours per day

In the Box SLM552 display, C14 connector US power cord - 1.8m, C14 connector EU

power cord - 1.8m, HDMl cable - 1.8m, USB-C cable 1.8m, RS-232 cable, IR

cable, remote control, cable clamps, Quick Start Guide

UPC 8 10069 81092 8

HDMI® Planar utilizes HDMI® standards in this product. The terms HDMI, HDMI

High-Definition Multimedia Interface, HDMI Trade dress and the HDMI Logos are trademarks or registered trademarks of HDMI Licensing

Administrator, Inc.

