

PLL1910M 19" LCD Monitor

The Planar® PLL1910M 19" LED LCD desktop monitor features high resolution, VGA and DVI inputs, and integrated speakers that make it perfect for business applications.



SPECIFICATION	DETAIL
Product Name	PLL1910M
Planar Part Number	997-6958-00
Viewable Size	19" diagonal (14.81" horizontal x 11.85" vertical)
Aspect Ratio	5:4
Contrast Ratio (typ)	1000:1
Viewing Angle (typ)	178° Horizontal and 178° Vertical (Specified at CR>10:1)
Response Time (typ)	5 ms (GTG)
Brightness (Typical)	250 cd/m ²
Display Type	IPS LCD Active Matrix Flat Panel Display (TFT)
Display Resolution	1280 x 1024 SXGA
Tilt Range	0° to +20°
Palette	16.7 million colors
Pixel Pitch	0.294 mm
Refresh Rate	55~76 Hz (60 Hz recommended)
Dimensions (W x H x D)	16.0" x 16.0" x 7.0" (407.1 mm x 406.9 mm x 177.8 mm)
Dimensions without Stand	16.0" x 13.8" x 2.4" (407.1 mm x 349.3 mm x 60.4 mm)
Panel Depth	2.4" (60.4 mm)
Display Weight	6.6 lb (3 kg), 6.1 lb (2.75 kg) without base & stand
Shipping weight	9.6 lb (4.35 kg)
Video Inputs	Digital (DVI-D w/HDCP), Analog (VGA)
HDCP	Yes

External Connections	(1) DVI 24-pin connector, (1) Analog VGA D-sub 15-pin video display, (1) 1/8 inch audio input jack
Audio Output	1w x 2
Compatibility	PC and Mac® (adapter may be required for Mac)
Power Supply	Internal
Power Consumption (max)	21W typical (standby 0.5W)
Power Requirements	AC 100/240 VAC
Operating Temperature	0° to +40°C (32° to 104°F)
Humidity	10 - 90% RH (non-condensing)
VESA Compatible/Location	Built-in 100 mm VESA, back
Product Approvals	FCC-B, CE, UL/cUL, RoHS
Recommended Usage	Up to 16 hours per day
Service and Support	3-Year Customer First™ Warranty featuring FREE 2-Day Advance Replacement (US only). Please see warranty document for more details and for replacement procedures outside the US.
Options / Features	Anti-glare coating, Multi-language display, On screen display (OSD), Kensington® security lock function, Built-in 100 mm VESA, back
Blue Light Reduction	Yes
In the Box	PLL1910M 19" LED LCD Monitor, Power Cord, VGA Cable, DVI Cable, Audio Cable, User's Guide
UPC	8 10689 06958 4