



## Planar PT1545P

### 15" Touch Screen Point of Sale Monitor

The Planar® PT1545P 15" touch screen Point of Sale (POS) monitor is perfect for image-conscious retail, hospitality, or healthcare applications. With its ultra-thin profile enclosure and its sleek edge-to-edge glass surface, the Planar PT1545P provides the ultimate interactive experience and is optimized with multi-touch interactivity for space-constrained settings. The upgraded monitor now comes with HDMI® and DisplayPort input connectivity.



SPECIFICATION	DETAIL
Product Name	PT1545P
Planar Part Number	997-7413-01
Viewable Size	15" diagonal (11.97" horizontal x 8.98" vertical)
Touchscreen Type	Projected Capacitive
Number of Touch Points	10
Touchscreen Interface	USB
Contrast Ratio (typ)	800:1
Viewing Angle (typ)	160° Horizontal and 150° Vertical
Response Time (typ)	8 ms
Brightness (w/touchscreen)	315 cd/m <sup>2</sup>
Brightness (w/o touchscreen)	350 cd/m <sup>2</sup>

Display Type	Edge-Lit LED LCD
Display Resolution	1024 x 768
Aspect Ratio	4:3
Tilt Range	-5° to +90°
Palette	16.2 million colors
Pixel Pitch	0.297 mm
Refresh Rate	56 to 75 Hz
Dimensions (W x H x D)	13.8" x 12.1" x 8.0" (350.8 mm x 306.5 mm x 202.0 mm)
Dimensions without Stand	13.8" x 10.9" x 2.5" (350.8 mm x 275.9 mm x 62.5 mm)
Display Weight	9.9 lb (4.5 kg)
Display Weight (w/o stand)	6.4 lb (2.9 kg)
Shipping weight	14.3 lb (6.5 kg)
Video Inputs	HDMI®, DisplayPort, VGA
Audio Output	2 speakers, 1W/ch
Compatibility	Windows® 11, 10, 8, 7, Vista, XP, 2000, ME, 98, NT 4.0, CE, XP Embedded, Linux, HID Compliant - no drivers needed for basic touchscreen operation
External Connections	HDMI 19-pin, DisplayPort 20-pin, VGA 15-pin, Type B USB socket, 3.5 mm audio in, AC Power In
Power Supply	Internal
Power Requirements	100-240 VAC, 50/60Hz
Power Consumption (max)	10.2W (1.5W standby, 0.3W off)
Operating Temperature	0° to +40° C
Mount	Built-in 100mm VESA, monitor back
Recommended Usage	Up to 16 hours per day
Service and Support	3-Year Customer First™ Warranty featuring FREE Advance Replacement (US only). Please see the warranty document for more details and for replacement procedures outside the US.

<b>Options / Features</b>	Multi-language On screen display (OSD), Kensington® Security Slot
<b>Product Approvals</b>	UL/c-UL, CE, FCC-Class B, RoHS
<b>CI-Black-PN</b>	997-7413-01
<b>In the Box</b>	PT1545P 15" Touchscreen LCD Monitor, Power Cord, VGA Cable, USB Cable (A to B), Audio-in Cable, HDMI Cable, User's Guide, Landing strip
<b>UPC</b>	8 10689 00980 1

For more information, please visit [www.planar.com](http://www.planar.com)

*Specifications are subject to change without notice.*

*Specification Report Date: 6/20/2025*

*© Copyright 2025 Planar Systems, Inc. All rights reserved*