

Leyard TW2.5

LED Video Wall

The Leyard® TW Series is a line of fine pitch LED video walls available in 1.2, 1.8 and 2.5 millimeters pitches. The Leyard TW Series is architected to support the highest pixel density and deliver benefits unique to its "flat panel" design including a 16:9 form factor optimized for the most popular high resolution standards, ease of installation and service, and outstanding flatness and uniformity.



SPECIFICATION	DETAIL
Product Name	TW2.5
Planar Part Number	TW2.5
Pixel Pitch	2.500mm
Resolution (per LED Cabinet)	480x270
Pixel Density (Pixels per LED Cabinet)	129,600
Pixel Density	14,862 per sq. foot (160,000 per sq. meter)
LED Type	3-in-1 Black SMD
Pixel Configuration	SMD 3-in-1 (1R1G1B)
LED Configuration	1 Red, 1 Green, 1 Blue
Brightness, Uncalibrated, Calibrated	NA, 600 nits
Brightness, Uniformity	97%
Viewing Angle, Horizontal	160°
Viewing Angle, Vertical	140°
Color Space	92% NTSC
Color Uniformity	97%
Color Temperature, Adjustable (k)	3,000-10,000
Contrast Ratio	6,000:1
Frame Rate	50, 60 Hz
LED Refresh Rate	5,100 Hz

Power Consumption, Maximum (watts)	470/cabinet, 580 per sq. meter
Power Consumption, Typical (watts)	160/cabinet, 200 per sq. meter
Runtime Duty Cycle	24x7
LED Lifetime	50,000 hours
Acoustic Noise	Fanless Operation
Operating Temperature/Humidity (degrees F/C, relative humidity)	+14° to +104°F (-10° to +40°C) at 10-80% RH
Storage Temperature/Humidity (degrees F/C, relative humidity)	-4° to 140°F (-20° to +60°C) at 10-85% RH
LED Cabinet Size (W x H x D)	47.24" x 26.57" x 3.94" (1,200 mm x 675 mm x 99 mm) (cabinet only, not including mount)
LED Cabinet Diagonal	54.21" (1,377 mm)
LED Cabinet area	8.72 sq. feet (0.81 sq. meters)
LED Cabinet Weight	24.5 per cabinet, 30.3 per sq. meter
Warranty	2 year limited warranty
Adjustable Mount	Optional
Environment	Indoor
Redundancy	Optional dual power supply, optional redundant video cabling
Line Voltage	100-240 Volts AC, 50 & 60Hz
Video Input Type	HDMI
Video Input Resolution Maximum	1920x1080 @ 50, 60 Hz
Display Control	Leyard® Control Software included
Control Input Type	RS232 or Ethernet
LED Surround	Black

For more information, please visit www.planar.com

Specifications are subject to change without notice.

Specification Report Date: 12/18/2018

© Copyright 2018 Planar Systems, Inc. All rights reserved